

PUBLICACIONES SCI DE INNOVAPESCA ANTERIORES A 2015

- Gómez-Estaca J, Gómez-Guillén MC, Montero P. The effect of combined traditional and novel treatments on oxidative status of dolphinfish (*Coryphaena hippurus*) and sardine (*Sardina pilchardus*) muscle lipids. *Food Sci Technol Int*, 20, 431-440 (2014). DOI: 10.1177/1082013213489307
- Ketnawa S, Benjakul S, Martínez-Alvarez O, Rawdkuen S. Thermoseparating aqueous two phase system for the separation of alkaline proteases from fish viscera. *Separ Sci Technol* 49, 2158-2168 (2014). DOI: 10.1080/01496395.2014.919595
- Ketnawa S, Benjakul S, Martínez-Alvarez O, Rawdkuen S. Three-phase partitioning and proteins hydrolysis patterns of alkaline proteases derived from fish viscera. *Separ Pur Technol* 132, 174-181 (2014). DOI: 10.1016/j.seppur.2014.05.006
- López de Lacey AM, López-Caballero ME, Montero P. Agar films containing green tea extract and probiotic bacteria for extending fish self-life. *LWT-Food Sci Technol* 55, 559-564 (2014). DOI: 10.1016/j.lwt.2013.09.028
- López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero P. Survival and metabolic activity of probiotic in green tea. *LWT-Food Sci Technol* 55, 314-322 (2014). DOI: 10.1016/j.lwt.2013.08.021
- López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero P. Biotransformation and resulting biological properties of green tea polyphenols by probiotic bacteria. *LWT-Food Sci Technol* 58, 633-638 (2014). DOI: 10.1016/j.lwt.2014.03.040
- Mosquera M, Giménez B, Mallmann da Silva I, Ferreira Boelter J, Montero P, Gómez-Guillén MC, Brandelli A. Nanoencapsulation of an active peptidic fraction from sea bream scales collagen. *Food Chem* 156, 144-150 (2014). DOI: 10.1016/j.foodchem.2014.02.011
- Blanco-Pascual N, Koldewej RBJ, Stevens RSA, Montero MP, Gómez-Guillén, Ten Cate AT. Peptide microencapsulation by core-shell printing technology for edible film application. *Food Bioproc Technol* 7, 2472-2483 (2014). DOI: 10.1007/s11947-014-1256-3
- Sila A, Sayari N, Balti R, Martínez-Alvarez O, Arroume NN, Bougateg A. Biochemical and antioxidant properties of peptidic fraction of carotenoproteins generated from shrimp (*Parapenaeus longirostris*) by-products. *Food Chem* 148, 445-452 (2014). DOI: 10.1016/j.foodchem.2013.05.146
- Silva-Weiss A, Bifani V, Ihl M, Sobral PJA, Gómez-Guillén MC. Polyphenol-rich extract from murta leaves on rheological properties of film-forming solutions based on different hydrocolloids blends. *J. Food Eng* 140, 28-38 (2014). DOI: 10.1016/j.jfoodeng.2014.04.010
- Mosquera M, Giménez B, Ramos S, López-Caballero ME, Gómez-Guillén MC, Montero P. Antioxidant, ace-inhibitory and antimicrobial activities of peptide fractions obtained from dried giant squid tunics. *J Aquat Food Prod Technol* (2015). DOI:10.1080/10498850.2013.819543
- Sila A, Martínez-Alvarez O, Haddar A, Gómez-Guillén MC, Nasri M, Montero P, Bougateg A. Recovery, viscoelastic and functional properties of Barbel skin gelatine: investigation of anti-DPP-IV and anti-prolyl endopeptidase activities of generated gelatine polypeptides. *Food Chem* 168, 478-486 (2015). DOI: 10.1016/j.foodchem.2014.07.086

- Mosquera M, Giménez B, Montero P, Gómez-Guillén MC. Incorporation of liposomes containing squid tunic ACE-inhibitory peptides to fish gelatin. *J Sci Food Agric* (2015). Di/10.1002/jsfa.7145
- Arancibia M, López-Caballero C, Gómez-Guillén, Montero P. Chitosan coatings enriched with active shrimp waste for shrimp preservation. *Food Contr* 54, 259-266 (2015). DOI:10.1016/j.foodcont.2015.02.004
- Gómez-Estaca J, Calvo M, Sánchez-Faure A, Montero P, Gómez-Guillén MC. Development, properties, and stability of antioxidant shrimp muscle protein films incorporating carotenoid-containing extracts from food by-products. *LWT-Food Sci Technol* 64, 189-196 (2015). DOI: 10.1016/j.lwt.2015.05.052
- Abdelmalek BE, Gómez-Estaca J, Sila A, Martínez-Alvarez O, Gómez-Guillén MC, Chaabouni-Ellouz S, Ayadi MA, Bougatef A. Characteristics and functional properties of gelatin extracted from squid (*Loligo vulgaris*) skin. *LWT - Food Sci Technol* (2015). DOI:10.1016/j.lwt.2015.09.024.
- Abdelmalek BE, Sila A, Krichen F, Karoud W, Martínez-Alvarez O, Ellouz-Chaabouni S, Ayadi MA and Bougatef A. Sulfated polysaccharides from *Loligo vulgaris* skin: Potential biological activities and partial purification. *Int J Biol Macromol* 72, 1143-1151 (2015) DOI:10.1016/j.ijbiomac.2014.09.041
- Martínez-Alvarez O, Chamorro S, Brenes A. Protein hydrolysates from animal processing by-products as a source of bioactive molecules with interest in animal feeding: A review. *Food Res Int* 73, 204-212 (2015). DOI:10.1016/j.foodres.2015.04.005
- Ketnawa S, Martínez-Alvarez O, Benjakul S, Saroat R. Extraction and biochemical characterization of peptidases from giant catfish viscera by aqueous two phase system. *J of Food Biochem* (2015). DOI: 10.1111/jfbc.12145
- Arancibia M, Gómez-Guillén MC, López-Caballero ME, Fernández-García M, Fernández-Martín F, Montero P. Antimicrobial and rheological properties of chitosan affected by extracting conditions and humidity exposure. *LWT-Food Sci Technol* 60, 802-810 (2015). DOI: 10.1016/j.lwt.2014.10.019
- Arancibia M, Alemán A, López-Caballero ME, Gómez-Guillén MC, Montero P. Development of active films of chitosan isolated by mild extraction with added protein concentrates from shrimp waste. *Food Hydrocoll* 43, 91-99 (2015). DOI: 10.1016/j.foodhyd.2014.05.006
- Akagündüz Y, Mosquera M, Giménez B, Alemán A, Montero P, Gómez-Guillén MC. Sea bream bones and scales as a source of gelatin and ace inhibitory peptides. *LWT-Food Sci Technol* 55, 579–585 (2014). DOI: 10.1016/j.lwt.2013.10.026
- Arancibia M, Alemán A, Calvo M, López-Caballero ME, Montero P, Gómez-Guillén MC. Antimicrobial and antioxidant chitosan solutions enriched with active shrimp (*Litopenaeus vannamei*) waste materials. *Food Hydrocoll* 35, 710-717 (2014). DOI: 10.1016/j.foodhyd.2013.08.026
- Arancibia M, Fernández-García M, López-Caballero ME, Gómez-Guillén MC, Montero P, Fernández-Martín F. Preparation and molecular characterization of chitosans obtained from shrimp (*Penaeus vannamei*) shells. *J Food Sci* 79, E1722-E173 (2014). DOI: 10.1111/1750-3841.12572.
- Arancibia M, Giménez B, López-Caballero ME, Montero P, Gómez-Guillén MC. Release of cinnamon essential oil from polysaccharide film matrices and its potential use for microbial growth inhibition in peeled shrimp. *LWT-Food Sci Technol* 44, 7-15 (2014). DOI: 10.1016/j.lwt.2014.06.031

- Arancibia M, López-Caballero ME, Gómez-Guillén MC, Montero P. Release of volatile compounds and biodegradability of active soy protein lignin blend films with added citronella essential oil. *Food Contr* 44, 7-15 (2014). DOI: 10.1016/j.foodcont.2014.03.025
- Blanco-Pascual N, Fernández-Martín F, Montero P. Jumbo squid (*Dosidicus gigas*) myofibrillar protein concentrate for edible packaging films and storage stability. *LWT-Food Sci Technol* 55, 543-550 (2014). DOI: 10.1016/j.lwt.2013.10.025
- Blanco-Pascual N, Alemán A, Gómez-Guillén MC, Montero P. Enzyme-assisted extraction of κ/ι -hybrid carrageenan from *Mastocarpus stellatus* for obtaining bioactive ingredients and their application for edible active films development. *Food Funct* 5, 319-329 (2014). DOI: 10.1039/c3fo60310e
- Blanco-Pascual N, Gómez-Guillén MC, Montero P. Integral *Mastocarpus stellatus* use for antioxidant edible film development. *Food Hydrocoll* 40, 128-137 (2014). DOI: 10.1016/j.foodhyd.2014.02.013
- Blanco-Pascual N, Gómez-Guillén MC, Montero P. Antioxidant film development from unrefined extracts of brown seaweeds *Laminaria digitata* and *Ascophyllum nodosum*. *Food Hydrocoll* 37, 100-110 (2014). DOI: 10.1016/j.foodhyd.2013.10.021
- Gómez-Estaca J, Montero P, Gómez-Guillén MC. Shrimp (*Litopenaeus vannamei*) muscle proteins as source to develop edible films. *Food Hydrocoll* 41, 86-94 (2014). DOI: 10.1016/j.foodhyd.2014.03.032
- Akagündüz Y, Mosquera M, Giménez B, Alemán A, Montero P, Gómez-Guillén MC. Sea bream bones and scales as a source of gelatin and ace inhibitory peptides. *LWT-Food Sci Technol* 55, 579–585 (2014). DOI: 10.1016/j.lwt.2013.10.026
- Alemán A, Gómez-Guillén MC, Montero P. Identification of ACE-inhibitory peptides from squid skin collagen after in vitro gastrointestinal digestion. *Food Res Int* 54, 790-795 (2013). DOI: 10.1016/j.foodres.2013.08.027
- Arancibia M, Alemán A, Calvo M, López-Caballero ME, Montero P, Gómez-Guillén MC. Antimicrobial and antioxidant chitosan solutions enriched with active shrimp (*Litopenaeus vannamei*) waste materials. *Food Hydrocoll* 35, 710-717 (2014). DOI: 10.1016/j.foodhyd.2013.08.026
- Arancibia M, Fernández-García M, López-Caballero ME, Gómez-Guillén MC, Montero P, Fernández-Martín F. Preparation and molecular characterization of chitosans obtained from shrimp (*Penaeus vannamei*) shells. *J Food Sci* 79, E1722-E173 (2014). DOI: 10.1111/1750-3841.12572.
- Arancibia M, Giménez B, López-Caballero ME, Montero P, Gómez-Guillén MC. Release of cinnamon essential oil from polysaccharide film matrices and its potential use for microbial growth inhibition in peeled shrimp. *LWT-Food Sci Technol* 44, 7-15 (2014). DOI: 10.1016/j.lwt.2014.06.031
- Arancibia M, Gómez-Guillén MC, López-Caballero ME, Fernández-García M, Fernández-Martín F, Montero P. Antimicrobial and rheological properties of chitosan affected by extracting conditions and humidity exposure. *LWT-Food Sci Technol*. DOI: 10.1016/j.lwt.2014.10.019
- Arancibia M, López-Caballero ME, Gómez-Guillén MC, Montero P. Release of volatile compounds and biodegradability of active soy protein lignin blend films with added citronella essential oil. *Food Cont* 44, 7-15 (2014). DOI: 10.1016/j.foodcont.2014.03.025

- Arancibia M, López-Caballero ME, Gómez-Guillén MC, Montero P. Development of active films of chitosan isolated by mild extraction with added protein concentrates from shrimp waste. *Food Hydrocolloids* (2014). poner pags. DOI: 10.1016/j.foodhyd.2014.05.006
- Blanco-Pascual N, Fernández-Martín F, Montero P. Jumbo squid (*Dosidicus gigas*) myofibrillar protein concentrate for edible packaging films and storage stability. *LWT-Food Sci Technol* 55, 543-550 (2014). DOI: 10.1016/j.lwt.2013.10.025
- Blanco-Pascual N, Alemán A, Gómez-Guillén MC, Montero P. Enzyme-assisted extraction of κ/ι -hybrid carrageenan from *Mastocarpus stellatus* for obtaining bioactive ingredients and their application for edible active films development. *Food Funct* 5, 319-329 (2014). DOI: 10.1039/c3fo60310e
- Blanco-Pascual N, Gómez-Guillén MC, Montero P. Integral *Mastocarpus stellatus* use for antioxidant edible film development. *Food Hydrocoll* 40, 128-137 (2014). DOI: 10.1016/j.foodhyd.2014.02.013
- Blanco-Pascual N, Gómez-Guillén MC, Montero P. Antioxidant film development from unrefined extracts of brown seaweeds *Laminaria digitata* and *Ascophyllum nodosum*. *Food Hydrocoll* 37, 100-110 (2014). DOI: 10.1016/j.foodhyd.2013.10.021
- Gómez-Estaca J, Montero P, Gómez-Guillén MC. Shrimp (*Litopenaeus vannamei*) muscle proteins as source to develop edible films. *Food Hydrocolloids* 41, 86-94 (2014). DOI: 10.1016/j.foodhyd.2014.03.032
- Gómez-Estaca J, Gómez-Guillén MC, Montero P. The effect of combined traditional and novel treatments on oxidative status of dolphinfish (*Coryphaena hippurus*) and sardine (*Sardina pilchardus*) muscle lipids. *Food Sci Technol Int*, 20, 431-440 (2014). DOI: 10.1177/1082013213489307
- Ketnawa S, Benjakul S, Martínez-Alvarez O, Rawdkuen S. Thermoseparating aqueous two phase system for the separation of alkaline proteases from fish viscera. *Separat Sci Technol* 49, 2158-2168 (2014). DOI: 10.1080/01496395.2014.919595
- Ketnawa S, Benjakul S, Martínez-Alvarez O, Rawdkuen S. Three-phase partitioning and proteins hydrolysis patterns of alkaline proteases derived from fish viscera. *Separat Purific Technol* 132, 174-181 (2014). DOI: 10.1016/j.seppur.2014.05.006
- López de Lacey AM, López-Caballero ME, Montero P. Agar films containing green tea extract and probiotic bacteria for extending fish self-life. *LWT-Food Sci Technol* 55, 559-564 (2014). DOI: 10.1016/j.lwt.2013.09.028
- López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero P. Survival and metabolic activity of probiotic in green tea. *LWT-Food Sci Technol* 55, 314-322 (2014). DOI: 10.1016/j.lwt.2013.08.021
- López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero. Biotransformation and resulting biological properties of green tea polyphenols by probiotic bacteria. *LWT-Food Sci Technol* 58, 633-638 (2014). DOI: 10.1016/j.lwt.2014.03.040
- Mosquera M, Giménez B, Mallmann da Silva I, Ferreira Boelter J, Montero P, Gómez-Guillén MC, Brandelli A. Nanoencapsulation of an active peptidic fraction from sea bream scales collagen. *Food Chem* 156, 144-150 (2014). DOI: 10.1016/j.foodchem.2014.02.011
- Blanco-Pascual N, Koldewej RBJ, Stevens RSA, Montero MP, Gómez-Guillén, Ten Cate AT. Peptide microencapsulation by core-shell printing technology for

- edible film application. *Food and Bioproc Technol* 7, 2472-2483 (2014). DOI: 10.1007/s11947-014-1256-3
- Sila A, Sayari N, Balti R, Martínez-Alvarez O, Arroume NN, Bougatef A. Biochemical and antioxidant properties of peptidic fraction of carotenoproteins generated from shrimp (*Parapenaeus longirostris*) by-products. *Food Chem* 148, 445-452 (2014). DOI: 10.1016/j.foodchem.2013.05.146
 - Sila A, Martínez-Alvarez O, Haddar A, Gómez-Guillén MC, Nasri M, Montero P, Bougatef A. Recovery, viscoelastic and functional properties of Barbel skin gelatine: investigation of anti-DPP-IV and anti-prolyl endopeptidase activities of generated gelatine polypeptides. *Food Chem* 168, 478-486 (2015). DOI: 10.1016/j.foodchem.2014.07.086
 - Silva-Weiss A, Bifani V, Ihl M, Sobral PJA, Gómez-Guillén MC. Polyphenol-rich extract from murta leaves on rheological properties of film-forming solutions based on different hydrocolloids blends. *J. Food Engineer* 140, 28-38(2014). DOI: 10.1016/j.jfoodeng.2014.04.010
 - Silva-Weiss A, Ihl M, Sobral PJA, Gómez-Guillén MC, Bifani V. Natural additives in bioactive edible films and coatings: functionality and applications in foods. *Food Engineer Rev* 5, 200-216 (2013). DOI: 10.1007/s12393-013-9072-5
 - Silva-Weiss A, Bifani V, Ihl M, Sobral PJA, Gómez-Guillén MC. Structural properties of films and rheology of film-forming solutions based on chitosan and chitosan-starch blend enriched with murta leaf extract. *Food Hydrocolloids* 31, 458-466 (2013). DOI: 10.1016/j.foodhyd.2012.11.028
 - Sila A, Haddar A, Martínez-Alvarez O, Bougatef A. Angiotensin I-converting enzyme (ACE) inhibitory and antioxidant activities of protein hydrolysate from muscle of barbel (*Barbus callensis*). *e-J Chem*, Article ID 545303 (2013). DOI: 10.1155/2013/545303
 - Gimenez B, López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero P. Release of active compounds from agar and agar-gelatin films with green tea extract. *Food Hydrocolloids* 30, 264-271 (2013). DOI: 10.1016/j.foodhyd.2012.05.014
 - Giménez B, Moreno S, López-Caballero ME, Gómez-Guillén MC, Montero P. Antioxidant properties of green tea extract incorporated to fish gelatin films after simulated gastrointestinal enzymatic digestion. *LWT – Food Science and Technology* 53, 445-451 (2013). DOI: 10.1016/j.lwt.2013.03.020
 - Pérez-Santín E, Calvo M, López-Caballero ME, Montero P, Gómez-Guillén MC. Compositional properties and bioactive potential of waste material from shrimp cooking juice. *LWT-Food Sci Technol* 54, 87-94 (2013). DOI: 10.1016/j.lwt.2013.05.038
 - Ketnawa S, Benjakul S, Ling TC, Martinez-Alvarez O Rawdkuen S. Enhanced recovery of alkaline protease from giant catfish viscera by phase partitioning and its application. *Chemistry Central Journal* 7, 79 (2013). DOI: 10.1186/1752-153X-7-79
 - López de Lacey, AM, López-Caballero ME, Gómez-Guillén MC, Montero P. Incorporación de bacterias lácticas a recubrimientos comestibles. *Nutr. Hospitalaria* 28, 15 (2013)
 - Martínez-Alvarez O, Gómez-Guillén C. Influence of mono- and divalent salts on water loss and properties of dry salted cod fillets. *LWT – Food Science and Technology* 53, 387-394 (2013). DOI: 10.1016/j.lwt.2013.04.013
 - Núñez R, Castro AX, López-Caballero ME, Montero P, Gómez-Guillén MC. Functional stability of gelatin-lignosulphonate films and their combined use with

- high pressure to preserve sardine fillets during chilled storage. *Inn Food Sci Emerg Technol* 19, 95-103 (2013). DOI: 10.1016/j.ifset.2013.04.006
- Núñez R, Giménez B, Fernández-Martín F, López-Caballero ME, Montero P, Gómez-Guillén MC. Physical and functional characterization of active gelatin films incorporated with lignin. *Food Hydrocoll* 30, 163-172 (2013). DOI: 10.1016/j.foodhyd.2012.05.017
 - Blanco-Pascual N, Fernández-Martín F, Montero P. Effect of different protein extracts from *dosidicus gigas* muscle coproducts on edible films development. *Food Hydrocolloids* 33, 74-84 (2013). DOI: 10.1016/j.foodhyd.2013.02.019
 - Salgado PR, López-Caballero ME, Gómez-Guillén MC, Mauri AN, Montero P. Sunflower protein films activated with antioxidant and antimicrobial properties have potential application for the preservation of fish patties. *Food Hydrocoll* 33, 74-84 (2013). DOI: 10.1016/j.foodhyd.2013.02.008
 - Gimenez B, López de Lacey AM, Pérez-Santín E, López-Caballero ME, Montero P. Release of active compounds from agar and agar-gelatin films with green tea extract. *Food Hydrocolloids* 30, 264-271 (2013). DOI: 10.1016/j.foodhyd.2012.05.014
 - Pérez-Santín E, Calvo M, López-Caballero ME, Montero P, Gómez-Guillén MC. Compositional properties and bioactive potential of waste material from shrimp cooking juice. *LWT-Food Science and Technology* 54, 87-94 (2013). DOI: 10.1016/j.lwt.2013.05.038.
 - Salgado PR, López-Caballero ME, Gómez-Guillén MC, Mauri AN, Montero P. Sunflower protein films activated with antioxidant and antimicrobial properties have potential application for the preservation of fish patties. *Food Hydrocolloids* 33, 74-84 (2013). DOI: 10.1016/j.foodhyd.2013.02.008,
 - López de Lacey, AM, López-Caballero ME, Gómez-Guillén MC, Montero P. Incorporación de bacterias lácticas a recubrimientos comestibles. *Nutr. Hospitalaria* 28, 15 (2013).
 - Giménez B, Moreno S, López-Caballero ME, Gómez-Guillén MC, Montero P. Antioxidant properties of green tea extract incorporated to fish gelatin films after simulated gastrointestinal enzymatic digestion. *LWT - Food Science and Technology* 53, 445-451 (2013). DOI: 10.1016/j.lwt.2013.03.020,
 - Núñez R, Castro AX, López-Caballero ME, Montero P, Gómez-Guillén MC. Functional stability of gelatin-lignosulphonate films and their combined use with high pressure to preserve sardine fillets during chilled storage. *Innovative Food Science and Emerging Technologies* 19, 95-103 (2013). DOI: 10.1016/j.ifset.2013.04.006
 - Ketnawa S, Benjakul S, Ling TC, Martinez-Alvarez O Rawdkuen S. Enhanced recovery of alkaline protease from giant catfish viscera by phase partitioning and its application. *Chemistry Central Journal* 7, 79 (2013). DOI: 10.1186/1752-153X-7-79
 - Martínez-Alvarez O, Gómez-Guillén C. Influence of mono- and divalent salts on water loss and properties of dry salted cod fillets. *LWT - Food Science and Technology* 53, 387-394 (2013). DOI: 10.1016/j.lwt.2013.04.013.
 - Silva-Weiss A, Bifani V, Ihl M, Sobral PJA, Gómez-Guillén MC. Structural properties of films and rheology of film-forming solutions based on chitosan and chitosan-starch blend enriched with murta leaf extract. *Food Hydrocolloids* 31, 458-466 (2013). DOI: 10.1016/j.foodhyd.2012.11.028

- Núñez R, Giménez B, Fernández-Martín F, López-Caballero ME, Montero P, Gómez-Guillén MC. Physical and functional characterization of active gelatina films incorporated with lignin. *Food Hydrocoll* 30,163-172 (2013). DOI: 10.1016/j.foodhyd.2012.05.017.
- López de Lacey AM, López-Caballero ME, Gómez-Estaca J, Gómez-Guillén MC, Montero P. Funcionalidad de *Lactobacillus acidophilus* and *Bifidobacterium bifidum* incorporados a empaques comestibles. *Inn Food Sci Emerg Technol* 16, 277-282 (2012). DOI: 10.1016/j.ifset.2012.07.001
- López de Lacey AM, Giménez B, Pérez-Santín E, Faulks R, Mandalari G, López-Caballero ME, Montero P. Bioaccesibilidad de polifenoles de té verde incorporados a una película de agar comestible durante la digestión simulada humana. *Food Res Int* 48, 462-469 (2012). DOI: 10.1016/j.foodres.2012.04.024
- Martínez-Alvarez O, Ravallec R, Cudennec B, Guimas L, Delannoy Ch, Fouchereau-Peron M. Efectos de la gavaja diaria con un hidrolizado de colágeno que contiene moléculas similares a CGRP en los niveles de CGRP en plasma de ratas Wistar machos. *J Funct Food* 4, 767-775 (2012). DOI:10.1016/j.jff.2012.05.004.
- Salgado PR, López-Caballero ME, Gómez-Guillén MC, Mauri AN, Montero P. Exploración de la capacidad antioxidante y antimicrobiana de películas de proteína concentrada de girasol con compuestos fenólicos presentes naturalmente. *Food Hydrocoll* 29, 374–381 (2012). DOI: 10.1016/j.foodhyd.2012.03.006.
- Moreno HM, Montero P, Gómez-Guillén MC, Fernández-Martín F, Mørkøre T, Borderías J. Características de colágeno de salmón atlántico criado en cautividad con firmeza y textura de filete suave. *Food Chem* 134, 678-685 (2012). DOI: 10.1016/j.foodchem.2012.02.160.
- Giménez B, Gómez-Guillén MC, López-Caballero ME, Gómez-Estaca J, Montero P. Rol de sepiolita en la liberación de compuestos activos de películas de gelatina-huevo blanco. *Food Hydrocoll* 27, 475-486 (2012). DOI: 10.1016/j.foodhyd.2011.09.003.
- Nuñez-Flores R, Giménez B, Fernández-Martín F, López-Caballero ME, Montero P, Gómez-Guillén MC. Rol del lignosulfonato en las propiedades de películas de gelatina de pescado. *Food Hydrocoll* 27, 60-71 (2012). DOI: 10.1016/j.foodhyd.2011.08.015.
- López de Lacey AM, López-Caballero ME, Gómez-Estaca J, Gómez-Guillén MC, Montero P. Funcionalidad de *Lactobacillus acidophilus* and *Bifidobacterium bifidum* incorporados a empaques comestibles. *Inn Food Sci Emerg Technol* 16, 277-282 (2012).
- Gimenez B, López de Lacey AM., Pérez-Santín E, López-Caballero ME, Montero P. Liberación de compuestos activos de películas de agar y gelatina con extracto de té verde. *Food Hydrocoll* 30, 264-271 (2012).
- Núñez R, Giménez B, Fernández-Martín F, López-Caballero ME, Montero P, Gómez-Guillén MC. Physical and functional characterization of active gelatina films incorporated with lignin. *Food Hydrocoll* 30,163-172 (2012).
- López de Lacey AM, Giménez B, Pérez-Santín E, Faulks R, Mandalari G, López-Caballero ME, Montero P. Bioaccesibilidad de polifenoles de té verde incorporados a una película de agar comestible durante la digestión simulada humana. *Food Res Int* 48, 462-469 (2012).
- Martínez-Alvarez O, Ravallec R, Cudennec B, Guimas L, Delannoy Ch, Fouchereau-Peron M. Efectos de la gavaja diaria con un hidrolizado de colágeno que contiene moléculas similares a CGRP en los niveles de CGRP en plasma de ratas Wistar machos. *J Funct Food* 4, 767-775 (2012). DOI:10.1016/j.jff.2012.05.004.

- Salgado PR, López-Caballero ME, Gómez-Guillén MC, Mauri AN, Montero P. Exploration of the antioxidant and antimicrobial capacity of two sunflower protein concentrate films with naturally present phenolic compounds. *Food Hydrocoll* 29, 374–381 (2012). DOI: 10.1016/j.foodhyd.2012.03.006.
- Moreno HM, Montero P, Gómez-Guillén MC, Fernández-Martín F, Mørkøre T, Borderías J. Collagen characteristics of farmed Atlantic salmon with firm and soft fillet texture. *Food Chem* 134, 678-685 (2012). DOI: 10.1016/j.foodchem.2012.02.160.
- Giménez B, Gómez-Guillén MC, López-Caballero ME, Gómez-Estaca J, Montero P. Role of sepiolite in the release of active compounds from gelatin-egg white films. *Food Hydrocoll* 27, 475-486 (2012). DOI: 10.1016/j.foodhyd.2011.09.003.
- Nuñez-Flores R, Giménez B, Fernández-Martín F, López-Caballero ME, Montero P, Gómez-Guillén MC. Role of lignosulphonate in properties of fish gelatin films. *Food Hydrocoll* 27, 60-71 (2012). DOI: 10.1016/j.foodhyd.2011.08.015.
- Alemán A, Pérez-Santín E, Bordenave-Juchereau S, Arnaudin I, Gómez-Guillén MC, Montero P. Squid gelatin hydrolysates with antihypertensive, anticancer and antioxidant activity. *Food Res Int* 44, 1044–1051 (2011). DOI: 10.1016/j.foodres.2011.03.010.
- Alemán A, Giménez B, Gómez-Guillén MC, Montero P. Enzymatic hydrolysis of fish gelatin under high hydrostatic pressure. *International J Food Sci Technol* 46, 1129-1136. (2011) DOI:10.1111/j.1365-2621.2011.02590.x.
- Gómez-Guillén MC, Giménez B, López-Caballero ME, Montero P. Functional and bioactive properties of collagen and gelatin from alternative sources: a review. *Food Hydrocoll* 25, 1813-1827 (2011). DOI:10.1016/j.foodhyd.2011.02.007.
- Gómez-Estaca J, Gómez-Guillén MC, Fernández-Martín F, Montero P. Effects of gelatin origin, bovine-hide and tuna-skin, on the properties of compound gelatin-chitosan films. *Food Hydrocoll* 25, 1461-1469(2011). DOI: 10.1016/j.foodhyd.2011.01.007.
- Ojagh M, Nuñez-Flores R, López-Caballero ME, Montero P, Gómez-Guillén MC. Lessening of high-pressure-induced changes in Atlantic salmon muscle by the combined use of a fish gelatin-lignin film. *Food Chem* 125, 595-606 (2011). DOI: 10.1016/j.foodchem.2010.08.072.
- Alemán A, Giménez B, Montero P, Gómez-Guillén MC. Antioxidant activity of several marine skin gelatins. *LWT Food Sci Technol* 44, 407-413 (2011). DOI:0.1016/j.lwt.2010.09.003.
- Gómez-Estaca J, Gómez-Guillén MC, Montero P, Sopelana P, Guillén MD. Oxidative stability, volatile components and polycyclic aromatic hydrocarbons of cold-smoked sardine (*Sardina pilchardus*) and dolphinfish (*Coryphaena hippurus*). *LWT Food Sci Technol* 44, 1517-1524 (2011). DOI:10.1016/j.lwt.2011.02.006.
- Alemán A, Giménez B, Pérez E, Gómez-Guillén MC, Montero P. Contribution of leu and hyp residues to antioxidant and ace-inhibitory activities of peptide sequences isolated from squid gelatin hydrolysate. *Food Chem* 125, 334-341 (2011). DOI: 10.1016/j.foodchem.2010.08.058.
- Giménez B, Gómez-Guillén MC, Pérez-Mateos M, Montero P, Márquez-Ruiz G. Evaluation of lipid oxidation in horse mackerel patties covered with borage-

- containing film during frozen storage. *Food Chem* 124, 1393-1403 (2011). DOI: 10.1016/j.foodchem.2010.07.097.
- Picot L, Ravallec R, Fouchereau-Péron M, Vandanjon L, Jaouen P, Chaplain-Derouiniot M, Guerard F, Chabeaud A, Le Gal Y, Martinez-Alvarez O, Bergé JP, Piot JM, Batista I, Pires C, Thorkelsson G, Delannoy Ch, Jakobsen G, Johansson I, Bourseau P. Impact of ultrafiltration and nanofiltration of an industrial fish protein hydrolysate on its bioactive properties. *J Sci Food Agric* 90, 1819-1826 (2010). DOI: 10.1002/jsfa.4020.
 - Gómez-Estaca J, López de Lacey A, López-Caballero ME, Gómez-Guillén MC, Montero P. Biodegradable gelatin-chitosan films incorporated with essential oils as antimicrobial agents for fish preservation. *Food Microbiol* 27, 889-896 (2010). DOI: 10.1016/j.fm.2010.05.012.
 - Gómez-Estaca J, Giménez B, Gómez-Guillén MC, Montero P. Influence of frozen storage on aptitude of sardine and dolphinfish for cold smoking process. *LWT Food Sci Technol* 43, 1246-1252 (2010). DOI:10.1016/j.lwt.2010.04.001.
 - Giménez B, Martínez-Álvarez O, Montero P, Gómez-Guillén MC. Characterization of phenoloxidase activity of carapace and viscera from cephalothorax of Norway lobster (*Nephrops norvegicus*). *LWT Food Sci Technol* 43, 1240-1245 (2009). DOI: 10.1016/j.lwt.2010.02.017.
 - Šližytė R, Mozuraitytė R, Martínez-Alvarez O, Fouchereau-Peron M, Rustad T. Functional, bioactive and antioxidative properties of hydrolysates obtained from cod (*Gadus morhua*) backbones. *Process Biochem* 44, 668-677 (2009). DOI:10.1016/j.procbio.2009.02.010.
 - Denavi GA, Pérez-Mateos M, Añón MC, Montero P, Mauri AN, Gómez-Guillén MC. Structural and functional properties of soy protein isolate and cod gelatin blend films. *Food Hydrocoll* 23, 2094-2101 (2009). DOI: 10.1016/j.foodhyd.2009.03.007.
 - Gómez-Estaca J, López-Caballero ME, Gómez-Guillén MC, López de Lacey A, Montero P. High pressure technology as a tool to obtain high quality carpaccio and carpaccio-like products from fish. In *Food Sci Emer Technol* 10,148–154 (2009). DOI:10.1016/j.ifset.2008.10.006.
 - Gómez-Estaca J, Giménez B, Montero P, Gómez-Guillén MC. Incorporation of antioxidant borage extract into edible films based on sole skin gelatin. *J Food Eng* 92, 78-85 (2009).DOI: 10.1016/j.jfoodeng.2008.10.024.
 - Giménez B, Alemán A, Montero P, Gómez-Guillén MC. Antioxidant and functional properties of gelatin hydrolysates obtained from skin of sole and squid. *Food Chem* 114, 976-983 (2009). DOI: 10.1016/j.foodchem.2008.10.050.
 - Gómez-Guillén MC, Pérez-Mateos M, Gómez-Estaca J, López-Caballero E, Giménez B, Montero P. Fish gelatin: a renewable material for the development of active biodegradable films. *Trend Food Sci Technol* 20, 3-16 (2009). DOI: 10.1016/j.tifs.2008.10.002.
 - Giménez B, Gómez-Estaca J, Alemán A, Gómez-Guillén MC, Montero MP. Improvement of the antioxidant properties of squid skin gelatin films by the addition of hydrolysates from squid gelatin. *Food Hydrocoll* 23, 1322-1327(2009).DOI: 10.1016/j.foodhyd.2009.04.005.
 - Gómez-Estaca J, Montero P, Fernández-Martín F, Alemán A, Gómez-Guillén MC. Physico-chemical properties of tuna-skin and bovine-hide gelatin films incorporated with oregano and rosemary aqueous extracts. *Food Hydrocoll* 23, 1334-1341(2009). DOI: 10.1016/j.foodhyd.2008.09.013.

- Martínez-Álvarez O, López-Caballero ME, Gómez-Guillén MC, Montero P. The effect of several cooking treatments on subsequent chilled storage of thawed deepwater pink shrimp (*Parapenaeus longirostris*) treated with different melanosis-inhibiting formulas. *LWT - Food Sci Technol* 42, 1335-1344 (2009). DOI: 10.1016/j.lwt.2009.03.025.
- Gómez-Estaca J, Montero P, Fernández-Martín F, Alemán A, Gómez-Guillén MC. Physico-chemical and film forming properties of bovine-hide and tuna-skin gelatin: a comparative study. *J Food Eng* 90, 480-486 (2009). DOI: 10.1016/j.foodhyd.2008.07.003.
- Gómez-Estaca J, Bravo L, Gómez-Guillén MC, Alemán A, Montero P. Antioxidant properties of tuna skin and bovine hide gelatin films induced by addition of oregano and rosemary extract. *Food Chem* 112, 18-25 (2009). DOI:10.1016/j.foodchem.2008.05.034.
- Giménez B, Gómez-Estaca J, Alemán A, Gómez-Guillén MC, Montero P. Physico-chemical and film forming properties of giant squid (*Dosidicus gigas*) gelatin. *Food Hydrocoll* 23, 585-592. (2009). DOI: 10.1016/j.foodhyd.2008.07.003.
- Gómez-Estaca J, López de Lacey A, Gómez-Guillén MC, López-Caballero E, Montero P. Antimicrobial activity of composite edible films based on fish gelatin and chitosan incorporated with clove essential oil. *J Aq Food Prod Technol* 18, 46-52 (2009). DOI:10.1080/10498850802581252.
- Gómez-Guillén MC, Gómez-Estaca J, Giménez B, Montero P. Alternative fish species for cold-smoking process. *Int J Food Sci Technol* 44, 1525-1535 (2009). DOI:10.1111/j.1365-2621.2008.01762.x.
- Zamorano JP, Martínez-Alvarez O, Montero P, Gómez-Guillén MC. Characterization and tissue distribution of polyphenol oxidase from deepwater pink shrimp (*Parapenaeus longirostris*). *Food Chem* 112, 104-111 (2009). DOI:10.1016/j.foodchem.2008.05.061.
- Pérez-Mateos M, Montero P, Gómez-Guillén, MC. Formulation and stability of biodegradable films made from cod gelatin and sunflower oil blends. *Food Hydrocoll* 23, 53-61 (2009). DOI:10.1016/j.foodhyd.2007.11.011.
- Martínez-Alvarez O, Guimas L, Delannoy C, Fouchereau-Peron M. Use of a commercial protease and yeasts to obtain CGRP-like molecules from saithe protein. *J Agric Food Chem* 56, 7853-7859 (2008). DOI: 10.1021/jf801393.
- Martínez-Alvarez O, Gómez-Guillén MC, Montero P. Effect of different chemical compounds as coadjuvants of 4-hexylresorcinol on appearance of deepwater pink shrimp (*Parapenaeus longirostris*) during chilled storage. *International J Food Sci Technol* 43, 2010-2018 (2008). DOI:10.1111/j.1365-2621.2008.01810.x
- Gómez-Guillén MC, Gómez-Estaca J, Giménez B, Montero P. Alternative fish species for cold-smoking process. *Int J Food Sci Technol* 44, 1525-1535 (2009) DOI:10.1111/j.1365-2621.2008.01762.x.
- Hernández-Andrés A, Pérez-Mateos M, Montero P, Gómez-Guillén MC, A comparative study of the effects of high pressure on proteolytic degradation of sardine and blue whiting muscle. *Fish Sci* 74, 899-910 (2008). DOI:10.1111/j.1444-2906.2008.01605.x
- Martínez-Alvarez O, Montero P, Gómez-Guillén MC. Evidence of an active laccase-like enzyme in deepwater pink shrimp (*parapenaeus longirostris*). *Food Chem* 108, 624-632 (2008). DOI:10.1016/j.foodchem.2007.11.029

- Martínez-Alvarez O, Gómez-Guillén MC, Montero P. Presence of hemocyanin with diphenoloxidase activity in deepwater pink shrimp (*Parapenaeus longirostris*) post mortem. *Food Chem* 107, 1450-1460 (2008). DOI:10.1016/j.foodchem.2007.09.078
- Carvalho RA, Sobral PJA, Thomazine M, Habitante AMQ, Giménez B, Gómez-Guillén MC, Montero P. Development of edible films based on differently processed Atlantic halibut (*Hippoglossus hippoglossus*) skin gelatin. *Food Hydrocoll* 22, 1117-1123 (2008). DOI:10.1016/j.foodhyd.2007.06.003
- Martínez-Alvarez O, Gómez-Guillén MC, Montero P. Chemical and microbial freshness indexes of Norwegian lobsters (*Nephrops norvegicus*) dusted with a sulphite-based antimelanotic. *Int J Food Sci Technol* 43, 1099-1110 (2008). DOI:10.1111/j.1365-2621.2007.01576.x
- López-Caballero ME, Martínez-Álvarez O, Gómez-Guillén, MC, Montero P. Quality of thawed deepwater pink shrimp (*Parapenaeus longirostris*) treated with antimelanotics formulations during chilled storage. *Int J Food Sci Technol* 43, 1099-1110 (2008). DOI:10.1111/j.1365-2621.2006.01328.x
- Martínez-Alvarez O, Guimas L, Delannoy C, Fouchereau-Peron M. The occurrence of a CGRP-like molecule in siki (*Centroscyminus coelolepsis*) hydrolysate from industrial origin. *J Agric Food Chem* 55, 5469-5475 (2007). DOI: 10.1021/jf070302l
- Gómez-Guillén MC, Lopez Caballero ME, Martínez-Álvarez O, Montero P. Sensory analyses in Norway lobster treated with different antimelanosis agents. *J Sens Stud* 22, 609-622 (2007). DOI:10.1111/j.1745-459X.2007.00135.x
- Gómez-Estaca J, Montero P, Giménez B, Gómez-Guillén MC. Effect of functional edible films and high pressure-processing on microbial and oxidative spoilage in cold-smoked sardine (*Sardina pilchardus*). *Food Chem* 105 511-520 (2007). DOI:10.1016/j.foodchem.2007.04.006.
- Gómez-Guillén MC, Ihl M, Bifani V, Silva A, Montero P. Edible films made from tuna-fish gelatin with antioxidant extracts of two different murta ecotypes leaves (*Ugni molinae* Turcz). *Food Hydrocoll* 21, 1133-1143 (2007). DOI:10.1016/j.foodhyd.2006.08.006.
- Montero P, Gómez-Estaca J, Gómez-Guillén MC. Influence of salt, smoke and high pressure on *Listeria monocytogenes* and spoilage microflora in cold-smoked dolphinfish. *J Food Prot* 70, 399-404 (2007).
- Gómez-Estaca J, Gómez-Guillén MC, Montero P. High pressure effects on quality and preservation of cold-smoked dolphinfish (*Coryphaena hippurus*) fillets. *Food Chem* 102, 1250-1259 (2007). DOI:10.1016/j.foodchem.2006.07.014
- Martínez-Alvarez O, López-Caballero ME, Montero P, Gómez-Guillén MC. Spraying of 4-hexylresorcinol based formulations to prevent enzymatic browning in Norway lobsters (*Nephrops norvegicus*) during chilled storage. *Food Chem* 100, 147-155 (2007). DOI:10.1016/j.foodchem.2005.09.031.